ELSEVIER

Journal of Crystal Growth 179 (1997) 670–675

JOURNAL OF CRYSTAL GROWTH

Author index

Ababou, S., see Godefroy, A. 179 (1997) 349
Abadie, J., see Duffar, T. 179 (1997) 397
Abelson, J.R., see Lu, Q. 179 (1997) 97
Abraham, P., see Pautet, C. 179 (1997) 10
Adachi, K., see Inaba, K. 179 (1997) 488
Aimone, P.R., see Chen, G.S. 179 (1997) 635
Alves, E., see Sochinskii, N.V. 179 (1997) 585
Amir, N., S. Stolyarova and Y. Nemirovsky, Rapid thermal metalorganic chemical vapor deposition of CdTe 179 (1997) 93
Ananth, R. and W.N. Gill, Dendritic growth in microgravity and forced convection 179 (1997) 263
Andrews, J.B., see Coriell, S.R. 179 (1997) 647
Androussi, Y., see Jacob, D. 179 (1997) 331
Angelova, S.S., see Nihtianova, D.D. 179 (1997) 161
Arikawa, Y., see Coriell, S.R. 179 (1997) 647
Asahi, H., see Yamamoto, K. 179 (1997) 37
Aswal, D.K., S.N. Narang, S.K. Gupta, K.D.S. Mudher, S.C. Purandare and S.C. Sabharwal, Growth of superconducting $Pb_{0.5}Sr_{2.5}Y_{0.5}Ca_{0.5}Cu_2O_y$ single crystals from charges containing silver 179 (1997) 665

Balkaş, C.M., Z. Sitar, T. Zheleva, L. Bergman, R. Nemanich and R.F. Davis, Sublimation growth and characterization of bulk aluminum nitride single crystals 179 (1997) 363
Belsky, A.N., see Chaminade, J.P. 179 (1997) 546
Benabbas, T., see Jacob, D. 179 (1997) 331
Beneš, L., see Lošťák, P. 179 (1997) 144
Berglund, K.A., see Dunuwila, D.D. 179 (1997) 185
Bergman, L., see Balkaş, C.M. 179 (1997) 363
Bernardi, S., see Sochinskii, N.V. 179 (1997) 585
Bett, A.W., see Dimroth, F. 179 (1997) 41
Bhat, H.L., see Venkataramanan, V. 179 (1997) 605
Bohenek, M., A.S. Myerson and W.M. Sun, Thermodynamics, cluster formation and crystal growth in highly supersaturated solutions of KDP, ADP and TGS 179 (1997) 213
Boiton, P., see Duffar, T. 179 (1997) 356
Boiton, P., see Duffar, T. 179 (1997) 397
Bouix, J., see Pautet, C. 179 (1997) 10
Bramblett, T.R., see Lu, Q. 179 (1997) 97

Cavus, A., see Snoeks, E. 179 (1997) 83
Chaminade, J.P., P. Mesnard, A. Garcia, J. Grannec, M. Pouchard, C. Fouassier, C. Pédrini, A.N. Belsky and E.I. Zinin, Crystal growth and characterization of Ce^{3+} doped $BaThF_6$ with the tysonite structure 179 (1997) 546
Chen, Falin, Formation of double-diffusive layers in the directional solidification of binary solution 179 (1997) 277
Chen, G.S., P.R. Aimone, M. Gao, C.D. Miller and R.P. Wei, Growth of nickel-base superalloy bicrystals by the seeding technique with a modified Bridgman method 179 (1997) 635
Chen Jianzhong, Lin Sukun, Yang Fengtu, Wang Jiahe and Lang Jianming, Effect of alcoholic additives on the nucleation of KDP and DKDP crystals 179 (1997) 226
Chen, Yan, Liping Guo and E.G. Wang, Effect of methane concentration on the growth of crystalline C_3N_4 films 179 (1997) 515
Choe, Byung-Doo, see Ryu, Sang-Wan 179 (1997) 26
Choo, Heung Ro, see Kim, Jeong Soo 179 (1997) 391
Coriell, S.R., W.F. Mitchell, B.T. Murray, J.B. Andrews and Y. Arikawa, Analysis of monotectic growth: infinite diffusion in the L_2 phase 179 (1997) 647
Crnatovic, A., see Mei, X. 179 (1997) 50

Da Silva, M.F., see Sochinskii, N.V. 179 (1997) 585
Dabringhaus, H., see Haag, M. 179 (1997) 477
Davis, R.F., see Balkaş, C.M. 179 (1997) 363
Dazord, J., see Pautet, C. 179 (1997) 10
Derby, J.J., see Edwards, K. 179 (1997) 120
Derby, J.J., see Edwards, K. 179 (1997) 133
Derix, J., see Kleine, S. 179 (1997) 240
Diéguez, E., see Sochinskii, N.V. 179 (1997) 585
Dimitriev, Ya.B., see Nihtianova, D.D. 179 (1997) 161

Dimroth, F., A.W. Bett and W. Wettling, Liquid-phase epitaxy of $Al_xGa_{1-x}As$ and technology for tandem solar cell application 179 (1997) 41
Dion, M., see Mei, X. 179 (1997) 50
Dong, J.R., see Wang, H.M. 179 (1997) 658
Dorsch, W., see Heindl, J. 179 (1997) 510
Doumae, Y., see Yang, B. 179 (1997) 410
Drašar, Č., see Lošťák, P. 179 (1997) 144
Duffar, T., J.M. Gourbil, P. Boiton, P. Dusserre and N. Eustathopoulos, Full encapsulation by molten salts during the Bridgman growth process 179 (1997) 356
Duffar, T., P. Boiton, P. Dusserre and J. Abadie, Crucible de-wetting during Bridgman growth in microgravity. II. Smooth crucibles 179 (1997) 397
Dunuwila, D.D. and K.A. Berglund, ATR FTIR spectroscopy for in situ measurement of supersaturation 179 (1997) 185
Dusserre, P., see Duffar, T. 179 (1997) 356
Dusserre, P., see Duffar, T. 179 (1997) 397

Eckstein, R., see Heindl, J. 179 (1997) 510
Edwards, K. and J.J. Derby, Understanding horizontal Bridgman shelf growth of cadmium telluride and cadmium zinc telluride. I. Heat and momentum transfer 179 (1997) 120
Edwards, K. and J.J. Derby, Understanding horizontal Bridgman shelf growth of cadmium telluride and cadmium zinc telluride. II. Thermoelastic stresses 179 (1997) 133
Enomoto, Y., see Konishi, M. 179 (1997) 451
Epelbaum, B.M., see Kurlov, V.N. 179 (1997) 175
Epelbaum, B.M., K. Inaba, S. Uda, K. Shimamura, M. Imaeda, V.V. Kochurikhin and T. Fukuda, A double-die modification of micro-pulling-down method for in situ clad/core doping of fiber crystal 179 (1997) 559
Erbil, A., see Nami, Z. 179 (1997) 522
Espeso, J.I., see Sochinskii, N.V. 179 (1997) 585
Ettenberg, M.H., J.R. Maddux, P.J. Taylor, W.A. Jesser and F.D. Rosi, Improving yield and performance in pseudo-ternary thermoelectric alloys $(Bi_2Te_3)(Sb_2Te_3)(Sb_2Se_3)$ 179 (1997) 495
Eustathopoulos, N., see Duffar, T. 179 (1997) 356

Fan, T.W., see Wang, H.M. 179 (1997) 658
Ferré, D., see Jacob, D. 179 (1997) 331
Fornari, R., M. Thirumavalavan, E. Gilioli, A. Sentiri, A. Zappettini, G. Mignoni and G. Zuccalli, Growth of semi-insulating InP with uniform axial Fe doping by a double-crucible LEC technique 179 (1997) 57
Fouassier, C., see Chaminade, J.P. 179 (1997) 546
François, P., see Jacob, D. 179 (1997) 331
Freiberg, M., see Schönherr, E. 179 (1997) 423
Fukuda, T., see Inaba, K. 179 (1997) 488
Fukuda, T., see Epelbaum, B.M. 179 (1997) 559
Fukuda, T., see Uda, S. 179 (1997) 567
Furuya, K., see Suhara, M. 179 (1997) 18

Gao, M., see Chen, G.S. 179 (1997) 635
Garcia, A., see Chaminade, J.P. 179 (1997) 546
Gebhardt, W., see Hahn, B. 179 (1997) 415
Gendry, M., see Jacob, D. 179 (1997) 331
Geng, X., X.B. Wu and Z.Y. Guo, Numerical simulation of combined flow in Czochralski crystal growth 179 (1997) 309
Gilioli, E., see Fornari, R. 179 (1997) 57
Gill, W.N., see Ananth, R. 179 (1997) 263
Glass, G., see Lu, Q. 179 (1997) 97
Gnanam, F.D., see Saraswathi, N.T. 179 (1997) 611
Godefroy, A., S. Ababou, B. Lépine, A. Guivarc'h and G. Jézéquel, X-ray and UV photoelectron spectroscopy of oxide desorption from InP under As_4 and/or Sb_4 overpressures: exchange reaction As ⇔ Sb on InP surfaces 179 (1997) 349
Gomati, M.El., see Srnanek, R. 179 (1997) 320
Gonda, S., see Yamamoto, K. 179 (1997) 37
Gourbil, J.M., see Duffar, T. 179 (1997) 356
Grannec, J., see Chaminade, J.P. 179 (1997) 546
Grases, F., see Millan, A. 179 (1997) 231
Greene, J.E., see Lu, Q. 179 (1997) 97
Grein, C.H., see Oh, J. 179 (1997) 72
Gruverman, A., see Terabe, K. 179 (1997) 577
Guivarc'h, A., see Godefroy, A. 179 (1997) 349
Guo, Liping, see Chen, Yan 179 (1997) 515
Guo, Z.Y., see Geng, X. 179 (1997) 309
Gupta, S.K., see Aswal, D.K. 179 (1997) 665

Haag, M. and H. Dabringhaus, Epitaxial growth of alkaline earth fluorides on the (0 0 1) surface of lithium fluoride. III. The system $BaF_2/LiF(0\,0\,1)$ – epitaxial growth of $LiBaF_3$ 179 (1997) 477
Hahn, B., H. Preis, M. Schindler, T. Reisinger and W. Gebhardt, Role of nitrogen precursors in MOVPE growth of ZnSe 179 (1997) 415
Hao, M., H. Uchida, C. Shao, T. Soga, T. Jimbo and M. Umeno, Porous GaAs formed by a two-step anodization process 179 (1997) 661
Hartmann, H., see Schönherr, E. 179 (1997) 423
Hayama, K., T. Togun and M. Ishida, Heteroepitaxial growth of Al_2O_3 film on Si using dimethylethylamine-alane and O_2 179 (1997) 433
Hayama, K., T. Togun and M. Ishida, Heteroepitaxial growth of Al film on Si using dimethylethylamine-alane 179 (1997) 438
Heindl, J., W. Dorsch, R. Eckstein, D. Hofmann, T. Marek, St.G. Müller, H.P. Strunk and A. Winnacker, Formation of micropipes in SiC under kinetic aspects 179 (1997) 510

Herden, A. and R. Lacmann, The crystallization of potassium nitrate. II. Growth rate dispersion 179 (1997) 592
Hidaka, K., see Yamamoto, K. 179 (1997) 37
Hirabayashi, I., see Takagi, A. 179 (1997) 444
Hirose, F., Modeling growth in Si gas-source molecular beam epitaxy using Si_2H_6 179 (1997) 108
Hofmann, D., see Heindl, J. 179 (1997) 510
Holz, R., see Lourdudoss, S. 179 (1997) 371
Honji, H., see Suhara, M. 179 (1997) 18
Hsu, T.C., see Shin, J. 179 (1997) 1
Hsu, Y., see Shin, J. 179 (1997) 1
Hu, Dongzhi, see Zhu, Haijun 179 (1997) 115
Huang, Baibiao, see Wang, Chengxin 179 (1997) 67
Huang, Daming, see Zhu, Haijun 179 (1997) 115
Huang, Gensheng, see Wang, Chengxin 179 (1997) 67
Huang, Xinming, Yaqin Zhao, Yangyang Ji, Xing Wu and Kunquan Lu, Time dependence of density of molten potassium lithium niobate 179 (1997) 181
Hulliger, J., see Rogin, P. 179 (1997) 551

Ichikawa, J., see Uda, S. 179 (1997) 567
Imaeda, M., see Epelbaum, B.M. 179 (1997) 559
Inaba, K., K. Adachi, T. Yao, S. Uda, A. Kasuya, T. Taniuchi and T. Fukuda, Heteroepitaxial growth of metastable ErF_3 on CaF_2(1 1 1) by molecular beam epitaxy: a novel material for optical upconversion 179 (1997) 488
Inaba, K., see Epelbaum, B.M. 179 (1997) 559
Inaba, K., see Uda, S. 179 (1997) 567
Ishida, M., see Hayama, K. 179 (1997) 433
Ishida, M., see Hayama, K. 179 (1997) 438
Ishikawa, Y., see Yang, B. 179 (1997) 410
Isshiki, M., see Yang, B. 179 (1997) 410
Itti, R., see Kawaguchi, K. 179 (1997) 459
Iyi, N., see Terabe, K. 179 (1997) 577

Jacob, D., Y. Androussi, T. Benabbas, P. François, D. Ferré, A. Lefebvre, M. Gendry and Y. Robach, Elastic misfit stress relaxation in $In_{0.25}Ga_{0.75}As$ layers grown under tension on InP(0 0 1) 179 (1997) 331
Jagadish, C., see Li, G. 179 (1997) 382
Jedral, L.Z., see Mei, X. 179 (1997) 50
Jemian, W.A., see Su, R.-J. 179 (1997) 625
Jeong, Weon Guk, see Ryu, Sang-Wan 179 (1997) 26
Jesser, W.A., see Ettenberg, M.H. 179 (1997) 495
Jézéquel, G., see Godefroy, A. 179 (1997) 349
Ji, Yangyang, see Huang, Xinming 179 (1997) 181
Jiang, Minhua, see Wang, Chengxin 179 (1997) 67
Jiang, Xiaoming, see Zhu, Haijun 179 (1997) 115
Jiang, Zuimin, see Zhu, Haijun 179 (1997) 115
Jimbo, T., see Hao, M. 179 (1997) 661

Kanai, M., see Nishikawa, H. 179 (1997) 467
Kasuya, A., see Inaba, K. 179 (1997) 488
Kawaguchi, K., F. Wang, R. Itti, G. Pindoria, M. Nishiyama and T. Morishita, Growth mode of $Sr_{1-x}CuO_{2-y}$ infinite-layer thin films 179 (1997) 459
Kawai, T., see Nishikawa, H. 179 (1997) 467
Kim, Hak-Hwan, see Ryu, Sang-Wan 179 (1997) 26
Kim, Hee-Dae, see Ryu, Sang-Wan 179 (1997) 26
Kim, Hong Man, see Kim, Jeong Soo 179 (1997) 391
Kim, In, see Ryu, Sang-Wan 179 (1997) 26
Kim, J.-H., see Kim, K.S. 179 (1997) 427
Kim, J.Y., see Kim, K.S. 179 (1997) 427
Kim, Jeong Soo, Chongdae Park, Shan Nahm, Heung Ro Choo, Hong Man Kim and Kwang Eui Pyun, Effects of heat-up procedure and grating depth on the erosion of InGaAs grating 179 (1997) 391
Kim, K.S., J.-H. Kim, D.H. Lim, G.M. Yang, J.Y. Kim and H.J. Lee, Quality-enhanced GaAs layers grown on Ge/Si substrates by metalorganic chemical vapor deposition 179 (1997) 427
Kim, Y., see Lee, K.-W. 179 (1997) 153
Kitamura, K., see Terabe, K. 179 (1997) 577
Kleine, S., W.J.P. van Enckevort and J. Derix, A dark field-type Schlieren microscope for quantitative, in situ mapping of solute concentration profiles around growing crystals 179 (1997) 240
Knight, C.A., see Makogon, T.Y. 179 (1997) 258
Knight, R.W., see Mackowski, D.W. 179 (1997) 297
Kochurikhin, V.V., see Epelbaum, B.M. 179 (1997) 559
Kon, J., see Uda, S. 179 (1997) 567
Kong, M.Y., see Wang, H.M. 179 (1997) 658
Konishi, M., J.G. Wen, Y. Matsunaga, Y. Enomoto, S. Koyama and Y. Shiohara, Homoepitaxial growth of *a*-axis oriented $YBa_2Cu_3O_{7-\delta}$ thin films on single crystals 179 (1997) 451
Koyama, S., see Konishi, M. 179 (1997) 451
Kurashima, K., see Terabe, K. 179 (1997) 577
Kurlov, V.N., The noncapillary shaping (NCS) method: a new method of crystal growth 179 (1997) 168
Kurlov, V.N. and B.M. Epelbaum, Fabrication of near-net-shaped sapphire domes by noncapillary shaping method 179 (1997) 175

Lacmann, R., see Herden, A. 179 (1997) 592
Lang Jianming, see Chen Jianzhong 179 (1997) 226
Larsen, R., see Makogon, T.Y. 179 (1997) 258
Lee, H.J., see Kim, K.S. 179 (1997) 427
Lee, K.-W., K.-S. Yu and Y. Kim, Heteroepitaxial growth of 3C–SiC on Si(0 0 1) without carbonization 179 (1997) 153
Lefebvre, A., see Jacob, D. 179 (1997) 331
Lekvam, K. and P. Ruoff, Kinetics and mechanism of methane hydrate formation and decomposition in liquid water. Description of hysteresis 179 (1997) 618
Lépine, B., see Godefroy, A. 179 (1997) 349

Li, G. and C. Jagadish, Achievement of a very high electron density in Si δ-doped GaAs grown by metal organic vapour phase epitaxy at 630°C 179 (1997) 382
Li, Minqian, see Zhu, Haijun 179 (1997) 115
Lim, D.H., see Kim, K.S. 179 (1997) 427
Lin Sukun, see Chen Jianzhong 179 (1997) 226
Liu, Xiaohan, see Zhu, Haijun 179 (1997) 115
Lošťák, P., Č. Drašar, H. Süssmann, P. Reinshaus, R. Novotný and L. Beneš, Preparation and some physical properties of $(Bi_{1-x}Sb_x)_2Se_3$ single crystals 179 (1997) 144
Lourdudoss, S. and R. Holz, Fabrication and I–V–T behaviour of n-GaAs/semi-insulating GaInP : Fe/n-GaAs structures 179 (1997) 371
Lu, Kunquan, see Huang, Xinming 179 (1997) 181
Lu, Q., M.R. Sardela, N. Taylor, G. Glass, T.R. Bramblett, T. Spila, J.R. Abelson and J.E. Greene, B incorporation and hole transport in fully strained heteroepitaxial $Si_{1-x}Ge_x$ grown on Si(0 0 1) by gas-source MBE from Si_2H_6, Ge_2H_6, and B_2H_6 179 (1997) 97
Lu, Z.H., see Mei, X. 179 (1997) 50

Mackowski, D.W., V.R. Rao, D.G. Walker and R.W. Knight, Numerical investigation of the effects of thermal creep in physical vapor transport 179 (1997) 297
Maddux, J.R., see Ettenberg, M.H. 179 (1997) 495
Maheswaran, S., see Venkataramanan, V. 179 (1997) 605
Makogon, T.Y., R. Larsen, C.A. Knight and E.D. Sloan, Jr., Melt growth of tetrahydrofuran clathrate hydrate and its inhibition: method and first results 179 (1997) 258
Mao, Mingchun, see Zhu, Haijun 179 (1997) 115
Marek, T., see Heindl, J. 179 (1997) 510
Marín, C., see Sochinskii, N.V. 179 (1997) 585
Matsui, Y., see Terabe, K. 179 (1997) 577
Matsunaga, Y., see Konishi, M. 179 (1997) 451
Matsushita, H. and T. Takizawa, Phase diagram of the CuIn–2Se system for $CuInSe_2$ crystal growth by controlling Se contents 179 (1997) 503
May, G.S., see Nami, Z. 179 (1997) 522
Mei, X., A. Crnatovic, L.Z. Jedral, H.E. Ruda, Z.H. Lu and M. Dion, Liquid-phase epitaxial growth of $GaAs_xP_{1-x}$ layers on GaP substrates 179 (1997) 50
Mesnard, P., see Chaminade, J.P. 179 (1997) 546
Mignoni, G., see Fornari, R. 179 (1997) 57
Miki, T., see Yang, B. 179 (1997) 410
Millan, A., O. Sohnel and F. Grases, The influence of crystal morphology on the kinetics of growth of calcium oxalate monohydrate 179 (1997) 231
Miller, C.D., see Chen, G.S. 179 (1997) 635
Misman, O., see Nami, Z. 179 (1997) 522
Mitchell, W.F., see Coriell, S.R. 179 (1997) 647
Miyamoto, Y., see Suhara, M. 179 (1997) 18
Mizutani, U., see Takagi, A. 179 (1997) 444
Monteil, Y., see Pautet, C. 179 (1997) 10
Morishita, T., see Kawaguchi, K. 179 (1997) 459
Mudher, K.D.S., see Aswal, D.K. 179 (1997) 665
Müller, St.G., see Heindl, J. 179 (1997) 510
Muñoz, V., see Sochinskii, N.V. 179 (1997) 585
Murray, B.T., see Coriell, S.R. 179 (1997) 647
Myerson, A.S., see Bohenek, M. 179 (1997) 213

Nagao, C., see Suhara, M. 179 (1997) 18
Nagashima, M. and H. Wada, AFM observation for the oxygen deficiency effect on the surface morphology of VO_2 thin films 179 (1997) 539
Nahm, Shan, see Kim, Jeong Soo 179 (1997) 391
Nami, Z., O. Misman, A. Erbil and G.S. May, Effect of growth parameters on TiO_2 thin films deposited using MOCVD 179 (1997) 522
Narang, S.N., see Aswal, D.K. 179 (1997) 665
Nemanich, R., see Balkaş, C.M. 179 (1997) 363
Nemirovsky, Y., see Amir, N. 179 (1997) 93
Nihtianova, D.D., D.P. Shumov, S.S. Angelova, Ya.B. Dimitriev and L.L. Petrov, Investigation of Pb_5MoO_8 crystal growth in PbO–MoO_3 system 179 (1997) 161
Nishikawa, H., M. Kanai and T. Kawai, Heteroepitaxy of perovskite-type oxides on oxygen-annealed $SrTiO_3$(1 0 0). Important factors for preparation of atomically flat oxide thin films 179 (1997) 467
Nishinaga, T., see Ren, H.-W. 179 (1997) 32
Nishiyama, M., see Kawaguchi, K. 179 (1997) 459
Novotny, I., see Srnanek, R. 179 (1997) 320
Novotný, R., see Lošťák, P. 179 (1997) 144

Oda, O., see Seki, Y. 179 (1997) 324
Oh, J. and C.H. Grein, Modeling of CdTe(1 1 1)B/Si(0 0 1) interfaces 179 (1997) 72
Okada, T. and G.C. Weatherly, The role of strain and composition on the morphology of InGaAsP layers grown on $\langle 0\,0\,1\rangle$InP substrates 179 (1997) 339
Overfelt, R.A., see Su, R.-J. 179 (1997) 625

Pajonk, G.M., see Parvathy, N.N. 179 (1997) 249
Pan, D., see Wang, H.M. 179 (1997) 658
Park, Chongdae, see Kim, Jeong Soo 179 (1997) 391
Park, Seoung-Hwan, see Ryu, Sang-Wan 179 (1997) 26
Parvathy, N.N., G.M. Pajonk and A. Venkateswara Rao, Synthesis and study of quantum size effect, XRD and IR spectral properties of PbS nanocrystals doped in SiO_2 xerogel matrix 179 (1997) 249
Pautet, C., P. Abraham, V. Soulière, J. Dazord, Y. Monteil and J. Bouix, Effect of methyl surface saturation during growth interruption sequences of metalorganic vapor-phase epitaxy of $In_{0.53}Ga_{0.47}As$ using trimethylarsenic 179 (1997) 10

Pavlov, K.M. and V.I. Punegov, Comment on 'Characterization of $In_xGa_{1-x}As/InP$ epilayers by X-ray double crystal rocking curve peak profile analysis by Haiyan An, Ming Li, Shuren Yang, Zhenhong Mai, Shiyong Liu'. [J. Crystal Growth 148 (1995) 31] 179 (1997) 328
Pédrini, C., see Chaminade, J.P. 179 (1997) 546
Petrov, L.L., see Nihtianova, D.D. 179 (1997) 161
Pindoria, G., see Kawaguchi, K. 179 (1997) 459
Pouchard, M., see Chaminade, J.P. 179 (1997) 546
Preis, H., see Hahn, B. 179 (1997) 415
Pudis, D., see Srnanek, R. 179 (1997) 320
Punegov, V.I., see Pavlov, K.M. 179 (1997) 328
Purandare, S.C., see Aswal, D.K. 179 (1997) 665
Pyun, Kwang Eui, see Kim, Jeong Soo 179 (1997) 391

Qin, Xiaoyan, see Wang, Chengxin 179 (1997) 67

Rao, V.R., see Mackowski, D.W. 179 (1997) 297
Reinshaus, P., see Lošťák, P. 179 (1997) 144
Reisinger, T., see Hahn, B. 179 (1997) 415
Ren, H.-W. and T. Nishinaga, Scanning electron microscopy of InAs aggregation on GaAs vicinal surfaces in molecular beam epitaxy 179 (1997) 32
Riahi, D.N., Effects of centrifugal and Coriolis forces on chimney convection during alloy solidification 179 (1997) 287
Ristic, R.I., J.N. Sherwood and T. Shripathi, The influence of tensile strain on the growth of crystals of potash alum and sodium nitrate 179 (1997) 194
Ristic, R.I., B.Yu. Shekunov and J.N. Sherwood, The influence of synchrotron radiation-induced strain on the growth and dissolution of brittle and ductile materials 179 (1997) 205
Robach, Y., see Jacob, D. 179 (1997) 331
Rogin, P. and J. Hulliger, Liquid phase epitaxy of $LiYF_4$ 179 (1997) 551
Rosi, F.D., see Ettenberg, M.H. 179 (1997) 495
Ruda, H.E., see Mei, X. 179 (1997) 50
Ruoff, P., see Lekvam, K. 179 (1997) 618
Ryu, Sang-Wan, Weon Guk Jeong, In Kim, Hee-Dae Kim, Hak-Hwan Kim, Byung-Doo Choe and Seoung-Hwan Park, Reduction of As carryover by PH_3 overpressure in metalorganic vapor-phase epitaxy 179 (1997) 26

Sabharwal, S.C., see Aswal, D.K. 179 (1997) 665
Saraswathi, N.T. and F.D. Gnanam, Effect of medicinal plants on the crystallization of cholesterol 179 (1997) 611
Sardela, M.R., see Lu, Q. 179 (1997) 97
Satoh, J., see Yamamoto, K. 179 (1997) 37
Schindler, M., see Hahn, B. 179 (1997) 415
Schönherr, E., M. Freiberg and H. Hartmann, Preferred [1 1 1] growth of ZnSe crystals from the vapor due to repeated twinning 179 (1997) 423
Seki, Y. and O. Oda, Preparation of ZnSe/ZnTe heterostructures by the solid-state substitution method 179 (1997) 324
Sentiri, A., see Fornari, R. 179 (1997) 57
Shao, C., see Hao, M. 179 (1997) 661
Shekunov, B.Yu., see Ristic, R.I. 179 (1997) 205
Sherwood, J.N., see Ristic, R.I. 179 (1997) 194
Sherwood, J.N., see Ristic, R.I. 179 (1997) 205
Sherwood, J.N., see Venkataramanan, V. 179 (1997) 605
Shimamura, K., see Epelbaum, B.M. 179 (1997) 559
Shimamura, K., see Uda, S. 179 (1997) 567
Shin, J., T.C. Hsu, Y. Hsu and G.B. Stringfellow, OMVPE growth of metastable GaAsSb and GaInAsSb alloys using TBAs and TBDMSb 179 (1997) 1
Shiohara, Y., see Konishi, M. 179 (1997) 451
Shripathi, T., see Ristic, R.I. 179 (1997) 194
Shumov, D.P., see Nihtianova, D.D. 179 (1997) 161
Sitar, Z., see Balkaş, C.M. 179 (1997) 363
Sloan, Jr., E.D., see Makogon, T.Y. 179 (1997) 258
Snoeks, E., L. Zhao, B. Yang, A. Cavus, L. Zeng and M.C. Tamargo, Structural quality of pseudomorphic $Zn_{0.5}Cd_{0.5}Se$ layers grown on an InGaAs or InP buffer layer on (0 0 1)InP substrates 179 (1997) 83
Soares, J.C., see Sochinskii, N.V. 179 (1997) 585
Sochinskii, N.V., V. Muñoz, S. Bernardi, J.I. Espeso, E. Alves, M.F. da Silva, J.C. Soares, C. Marín and E. Diéguez, Selective area vapor-phase epitaxy and structural properties of $Hg_{1-x}Cd_xTe$ on sapphire 179 (1997) 585
Soga, T., see Hao, M. 179 (1997) 661
Sohnel, O., see Millan, A. 179 (1997) 231
Soulière, V., see Pautet, C. 179 (1997) 10
Spila, T., see Lu, Q. 179 (1997) 97
Srnanek, R., M.El. Gomati, I. Novotny and D. Pudis, Chemical bevelling of InP-based structures by $HBr–H_3PO_4–K_2Cr_2O_7$ solution 179 (1997) 320
Stolyarova, S., see Amir, N. 179 (1997) 93
Stringfellow, G.B., see Shin, J. 179 (1997) 1
Strunk, H.P., see Heindl, J. 179 (1997) 510
Su, R.-J., W.A. Jemian and R.A. Overfelt, Transient effects in the directional solidification of Al–Cu alloys 179 (1997) 625
Suhara, M., C. Nagao, H. Honji, Y. Miyamoto, K. Furuya and R. Takemura, Atomically flat OMVPE growth of GaInAs and InP observed by AFM for level narrowing in resonant tunneling diodes 179 (1997) 18
Sun, Jielin, see Zhu, Haijun 179 (1997) 115
Sun, W.M., see Bohenek, M. 179 (1997) 213
Süssmann, H., see Lošťák, P. 179 (1997) 144

Takagi, A., I. Hirabayashi and U. Mizutani, Growth and superconducting characteristics of $Nd_{1+x}Ba_{2-x}Cu_3O_y$ thick films by liquid-phase epitaxy 179 (1997) 444
Takemura, R., see Suhara, M. 179 (1997) 18
Takizawa, T., see Matsushita, H. 179 (1997) 503
Tamargo, M.C., see Snoeks, E. 179 (1997) 83
Taniuchi, T., see Inaba, K. 179 (1997) 488
Taylor, N., see Lu, Q. 179 (1997) 97
Taylor, P.J., see Ettenberg, M.H. 179 (1997) 495
Terabe, K., K. Kurashima, A. Gruverman, Y. Matsui, N. Iyi and K. Kitamura, Transmission electron microscopy study on epitaxial growth behaviors of sol–gel-derived $LiNbO_3$ films 179 (1997) 577
Thirumavalavan, M., see Fornari, R. 179 (1997) 57
Togun, T., see Hayama, K. 179 (1997) 433
Togun, T., see Hayama, K. 179 (1997) 438

Uchida, H., see Hao, M. 179 (1997) 661
Uda, S., see Inaba, K. 179 (1997) 488
Uda, S., see Epelbaum, B.M. 179 (1997) 559
Uda, S., J. Kon, J. Ichikawa, K. Inaba, K. Shimamura and T. Fukuda, Interface field-modified solute partitioning during $Mn:LiNbO_3$ crystal fiber growth by micro-pulling down method. I. Axial distribution analysis 179 (1997) 567
Umeno, M., see Hao, M. 179 (1997) 661

Van Enckevort, W.J.P., see Kleine, S. 179 (1997) 240
Venkataramanan, V., S. Maheswaran, J.N. Sherwood and H.L. Bhat, Crystal growth and physical characterization of the semiorganic bis(thiourea) cadmium chloride 179 (1997) 605
Venkateswara Rao, A., see Parvathy, N.N. 179 (1997) 249

Wada, H., see Nagashima, M. 179 (1997) 539
Walker, D.G., see Mackowski, D.W. 179 (1997) 297
Wang, Chengxin, Baibiao Huang, Gensheng Huang, Xiaoyan Qin, Shuqin Yu and Minhua Jiang, The influences of Zn-dopants on the lattice constant and surface morphology in Zn-doped AlGaAs grown by MOCVD 179 (1997) 67
Wang, E.G., see Chen, Yan 179 (1997) 515
Wang, F., see Kawaguchi, K. 179 (1997) 459
Wang, H.M., Y.P. Zeng, T.W. Fan, H.W. Zhou, D. Pan, J.R. Dong and M.Y. Kong, Characteristics of InAs epilayers for Hall effect devices grown on GaAs substrates by MBE 179 (1997) 658
Wang Jiahe, see Chen Jianzhong 179 (1997) 226
Wang, Xun, see Zhu, Haijun 179 (1997) 115
Weatherly, G.C., see Okada, T. 179 (1997) 339
Wei, R.P., see Chen, G.S. 179 (1997) 635
Wen, J.G., see Konishi, M. 179 (1997) 451
Wettling, W., see Dimroth, F. 179 (1997) 41
Winnacker, A., see Heindl, J. 179 (1997) 510
Wu, X.B., see Geng, X. 179 (1997) 309
Wu, Xing, see Huang, Xinming 179 (1997) 181

Xu, Amei, see Zhu, Haijun 179 (1997) 115

Yamamoto, K., H. Asahi, K. Hidaka, J. Satoh and S. Gonda, Growth rate enhancement of III–V antimonides on high-index substrates in metalorganic molecular beam epitaxy 179 (1997) 37
Yang, B., see Snoeks, E. 179 (1997) 83
Yang, B., Y. Ishikawa, T. Miki, Y. Doumae and M. Isshiki, Aging behavior of some residual impurities in CdTe single crystals 179 (1997) 410
Yang Fengtu, see Chen Jianzhong 179 (1997) 226
Yang, G.M., see Kim, K.S. 179 (1997) 427
Yao, T., see Inaba, K. 179 (1997) 488
Yu, K.-S., see Lee, K.-W. 179 (1997) 153
Yu, Shuqin, see Wang, Chengxin 179 (1997) 67

Zappettini, A., see Fornari, R. 179 (1997) 57
Zeng, L., see Snoeks, E. 179 (1997) 83
Zeng, Y.P., see Wang, H.M. 179 (1997) 658
Zhang, Xiangjiu, see Zhu, Haijun 179 (1997) 115
Zhao, L., see Snoeks, E. 179 (1997) 83
Zhao, Yaqin, see Huang, Xinming 179 (1997) 181
Zheleva, T., see Balkaş, C.M. 179 (1997) 363
Zhou, H.W., see Wang, H.M. 179 (1997) 658
Zhu, Haijun, Zuimin Jiang, Amei Xu, Mingchun Mao, Dongzhi Hu, Xiangjiu Zhang, Xiaohan Liu, Daming Huang, Xun Wang, Jielin Sun, Minqian Li and Xiaoming Jiang, Surfactant influence on the Ge heteroepilayer on Si(0 0 1) studied by X-ray diffraction and atomic force microscopy 179 (1997) 115
Zinin, E.I., see Chaminade, J.P. 179 (1997) 546
Zuccalli, G., see Fornari, R. 179 (1997) 57

ELSEVIER

Journal of Crystal Growth 179 (1997) 676–678

JOURNAL OF CRYSTAL GROWTH

Subject index

Apparatus
– for melt growth
– – by Czochralski method
– – – of indium phosphide 57
– for solid growth
– – by sublimation
– – – of aluminum nitride 363

Computer simulation
– of finite element method 120
– of heteroepitaxial growth 72
– of metalorganic chemical vapor deposition 522
– of thermal creep 297
– of thermoelastic stresses 133
– of transmission electron microscopy strain constant 331
Convection 120, 133, 181, 287

Dendritic growth
– of aluminum copper alloys 625
– of cholesterol 611
– of silver crystallites 240
Device characterization
– electronic materials 83, 97, 371, 495
– heterojunction 18, 320, 371
– solar cells 41, 50
– thermoelectric coolers 495
Diffusional control
– of monotectic growth 647

Electronic materials, see Device characterization
Epitaxy, see Thin film growth
Etching
– chemical 41, 320

Growth structures, on
– vicinal surfaces 32

Heat flow control
– of horizontal Bridgman 120, 133, 309
Heterojunction, see Device characterization
Hydrodynamics, see Convection

In situ monitoring
– by Fourier transform infrared spectrocsopy of supersaturation 194
– by Schlieren microscopy of solute concentration 240

Kinetics
– of boron dopant incoprporation 97
– of growth 97, 108, 194, 205, 213, 231, 258, 263, 415, 467, 510, 515, 618
– of interface control 391
– of micropipes 510
– of nucleation 213, 226

Lasers, see Device characterization
Lasers, crystals for
– complex coupled distributed feedback laser diode 391
– erbium fluoride 488
– lithium ytterbium fluoride 551

Melt growth technique
– by Bridgman–Stockbarger method
– – of aluminum copper alloys 625
– – of barium thorium fluoride 546
– – of bismuth antimony selenide 144
– – of bismuth antimony telluride selenide 495
– – of cadmium telluride 120, 133, 410
– – of gallium antimonide 356, 397
– – of indium antimonide 397
– by liquid encapsulated Czochralski method
– – of indium phosphide 57
– – theory of flow dynamics 309
– by micro pulling down
– – of lithium niobate 559, 567
– by modified Bridgman
– – of nickel based superalloy bicrystals 635
– by non-capillary shaping method
– – of gadolinium molibdate 168
– – of lithium niobate 168
– – of sapphire 168, 175
– by single crystal growth
– – of tetrahydrofuran clathrate hydrate 258

– by zone melting
– – of (bismuth, telluride)(antimony, telluride)(bismuth, selenide) 495
– – theory of encapsulation 356
Microgravity, growth under
– of gallium antimonide 397
– of indium antimonide 397
– of succinonitrile 263
Morphological stability
– of strained films 339

Nanocrystals
– of lead sulphide 249
Nucleation
– of cadmium telluride on silicon 72
– of cholesterol 611
– of stacking faults 83
– of twins 423
Numbers
– Grashof 120, 309
– Peclet 120
– Rayleigh 287
– Reynolds 309

Phase diagram
– of aluminum gallium arsenide 41
– of copper indium diselenide 503
– of lead molibdate 161
– of liquid phase 181
Precursor
– for aluminum 438
– for arsenic 10
– for gallium arsenide antimonide 1
– for gallium indium arsenide antimonide 1
– for sapphire 433
– for silicon carbide 153

Solar cells, see Device characterization
Solid growth technique
– by controlling vapor pressure
– – of copper indium diselenide 503
Solution growth technique
– by batch cooling crystallization
– – of potassium lithium niobate 185
– by electrochemical method
– – of silver 240
– by flux method
– – of calcium oxalate monohydrate 231
– – of lead molibdate 161
– – of lead strontium yttrium cuprate 665
– by low temperature method
– – of ammonium dihydrogen phosphate 213
– – of bismuth cadmium chloride 605
– – of methane hydrate 618
– – of potassium dideuterium phosphate 226
– – of potassium dihydrogen phosphate 213
– – of potassium nitrate 592
– – of sodium chlorate 205
– – of sodium nitrate 205
– – theory of cluster formation 213
– by sol–gel method
– – of cholesterol 611
– – of lead sulgide 249
– – of lithium niobate 577
– by uniaxial solidification
– – of binary alloys 277
Stefan problem or moving boundary
– of succinonitrile 263
Superconductivity materials, high T_c
– bulk
– – of YBCO 48
Superconductivity materials, low T_c
– film
– – of LBCO 665
– – of NBCO 444
– – of YBCO 451
Superlattices, multilayers
– of III–V compounds 26, 328
– of $LiF/LiBaF_3$ 477
Surface energy, determination
– of encapsulants 356
Surface structure
– of cadmium telluride on silicon 72
– of thin films 539

Thin film growth, epitaxy
– by anodization
– – of gallium arsenide 661
– by atomic layer epitaxy
– – of strontium copper oxide 459
– – theory of cadmium telluride on silicon growth 72
– by gas source molecular beam epitaxy
– – of silicon 108
– by hot wall epitaxy
– – of carbonitrile 515
– by liquid phase epitaxy
– – of gallium aluminum arsenide 41
– – of gallium arsenide phosphide 50
– – of lithium ytterbium fluoride 551
– – of niobium barium cuprate 444
– by metalorganic molecular beam epitaxy
– – of aluminum antimonide 37
– – of gallium antimonide 37
– – of indium antimonide 37
– by molecular beam epitaxy
– – of erbium fluoride 488
– – of gallium arsenide 331
– – of germanium 115
– – of indium antimonide 349
– – of indium arsenide 32, 349, 658
– – of indium gallium arsenide 83, 331
– – of indium gallium arsenide phosphide 339
– – of indium phosphide 349
– – of lithium barium fluoride 477

– – of silicon germanium 97
– – of zinc cadmium selenide 83
– by sputtering
– – of YBCO 451
– by vapor phase epitaxy
– – through chemical vapor deposition
– – – of iron doped gallium indium phosphide 371
– – – of silicon carbide 153
– – – of silicon germanium 97
– – through laser ablation
– – – of vanadium dioxide 539
– – through laser molecular beam epitaxy
– – – of calcium titanate 467
– – – of strontium titanate 467
– – through metalorganic chemical vapor deposition
– – – of aluminum 438
– – – of aluminum gallium arsenide 67
– – – of gallium arsenide antimonide 1, 382, 427
– – – of gallium indium arsenide antimonide 1
– – – of indium gallium arsenide 10, 18, 26
– – – of mercury cadmium telluride 585
– – – of rutile 522
– – – of sapphire 433
– – – of zinc selenide 415
– – through substitutional reaction
– – – of zinc selenide/zinc telluride 324

Vapor growth technique
– by evaporation and condensation
– – of aluminum nitride 363
– – of cadmium telluride 410
– – of zinc selenide 423
– by physical vapor deposition
– – of silicon carbide 510
– by rapid thermal growth
– – of cadmium telluride 93
– theory of thermal creep 297